


SIMULATION & ANALYSIS

- Energy simulation
- Indoor and Outdoor Lighting simulation
- Daylighting simulation
- Shading Analysis
- Materials Performance Analysis
- Piping Stress Analysis



ARCHITECTURE

- Support in Architectural & Structural design
 - ⇒ Concept Design
 - ⇒ statutory approval drawings
 - ⇒ 2D & 3D, Animation, Plan, Elevation, Sections, Floor, Roof plans, Foundation & Detailing for construction, Landscaping etc.,
 - ⇒ Structural Design, drawing and Bar bending schedules etc.,
 - ⇒ Tender preparation and support
 - ⇒ 3D Visualization
- Interior design
 - ⇒ Demolition, internal Wall and Furniture layouts
 - ⇒ layout of finishes (wallpaper/decal/textured wall/wall paneling)
 - ⇒ Floor tiling drawing with transition detail, wall elevation with finishes, ceiling and fenestration drawing
 - ⇒ 3D Visualization



CIVIL

- RCC Structural Work
 - ⇒ Shuttering Carpentry, Form Work, Steel Fixing & Concrete
- Masonry Work
 - ⇒ Block, Plaster, Marble, Ceramic, Kerb stone / Interlock
- Fit out Execution
 - ⇒ Gypsum (Ceiling, Drywall, Design....)
- Renovation and Maintenance work
 - ⇒ Renovation of Toilet / Bathroom
 - ⇒ Renovation of old residence house / villa
 - ⇒ Renovation of retail shop and restaurant



SAGA D&B

Trading and Contracting W.L.L



“Responsible
Design and
Build”



Contact:
+974 7717 4789
+974 7045 6783
www.sagadnb.com
info@sagadnb.com
Office no: 8 , 7th floor , Bldg no: 54 , Al Rufaa tower ,
Near Sana Signal, P.O Box no: 9044 , Doha , Qatar.

BUILT UP YOUR ENVIRONMENT WITH US.....



ABOUT US

We are a Design & Build firm, delivering environmental responsive developments. We do our services from inception to operation of the projects.

VISION

To emerge as the leader in our services in the Middle East& India.

MISSION

Guided by our vision, we ensure our client’s satisfaction through high-quality, cost-effective, on time and environmental supportive projects.

CORE VALUES

- Delivery: We put clients in first place
- Quality: What we do, we do well
- Teamwork: We work together, to meet the needs of our clients
- Leadership: The courage to shape a better future
- Integrity: We uphold the highest standards of integrity in all our actions

DESIGN SUPPORT  We have an expert team of Engineers having an extensive international & local design experience in Architecture and MEP design services .	CAD & BIM  Utilizing CADD & BIM technology, We offer Expedite BIM services for entire building services, allowing clients to get complete control of their consultancy & Construction people and make easy to execute the project smoothly without clashes.	INSTALLATION & MAINTENANCE  We provide a dedicated and experienced team to transform the design from the paper to an actual construction on the site. Our Technical crew has a capability of performing installation, testing , commissioning and maintenance.	SUSTAINABILITY  We do care our environment by designing environmentally responsible and resource efficient throughout a building’s life cycle: from planning to design, construction, operation, maintenance, renovation and demolition.
---	--	--	---

We Offer

MEP

In Design,

- MEP Engineering
 - ⇒ Support in engineering calculations such as Cooling load, Ventilation, Staircase pressurization, ESP, Duct sizing, Pump head calculation etc.,
 - ⇒ MV and LV network design, load flow study, cable sizing, lighting and small power design and Lighting lux calculation
 - ⇒ Plumbing design with IPC and local code
- MEP Drafting
 - ⇒ Preparation of Design drawings based on the design calculation
 - ⇒ Developing the design drawings to 2D & 3D shop drawings
- Building Information Modeling (BIM)
 - ⇒ Creating 3D models in Revit MEP with LOD 100 to LOD 500
 - ⇒ Detecting and Rectifying the Clashes
 - ⇒ Preparation of Equipment schedules
 - ⇒ Preparation of Bill of Quantities



In Construction,

- Contracting
 - ⇒ Supply and installation of MEP materials and systems
 - ⇒ Secondment of specialty professionals
- Testing & Commissioning of the MEP systems
- Preparation of as-built drawings and 3D laser scanning (Point cloud to Revit Model)
- Delivering asset data through COBie

In Operation Phase,

- Building Facility Management and Maintenance
- Conducting Energy and Water Audits

SUSTAINABILITY

- Integrated Sustainable Design
- Delivery of awards of Green Building standards such as GSAS, LEED, BREEAM etc.,
- GSAS Design Facilitation (Project Registration to Letter of Conformance)
- GSAS CDA Facilitation (Project Registration to Final Certification)
- GSAS Construction Management
- GSAS Operations
- GSAS Energy and Waste Auditing
- GSAS Facility Management
- LEED Facilitation (Design, Construction and Operation)
- LEED—Energy Modeling



OUR TRADING SERVICES

CERA

Sanitaryware





Products

CERA offers a wide spectrum of experiences through an extensive range of products. To complement the Sanitaryware products there is a range of faucets, tiles, shower products, kitchen sinks and personal care products.



Sanitaryware

[View Products »](#)

CERA brings to you, top quality Sanitaryware closet and basin design's with constant adaptation to new market trends. Cera's products are the result of a manufacturing...
[Know more](#)



Faucets

[View Products »](#)

CERA offers wide variety in design and functionality to choose from in Faucets. Our portfolio is the most complete, ranging from beautiful single lever, quarter tur...
[Know more](#)



Tiles

[View Products »](#)

Vitrified, Ceramic, Elevation. Click on this section and you'll see why CERA is the fastest growing brand in the tiles category. Choose from a super wide range of floor and...
[Know more](#)



Wellness

[View Products »](#)


CERA understands your world. We know that at the end of a rough day, what you need most is to come home to some comfort and care. Take your pick. The CERA Wellne...
[Know more](#)



Kitchen Sinks

[View Products »](#)

Whether it's the shape-single, double bowls and more-or the finish-take your pick from Handmade, Satin and Pearl. Go ahead and choose from a wide range of CERA Kitchen...
[Know more](#)



Mirrors

[View Products »](#)

How do we make you look your very best? Enter CERA mirrors. A collection of mirrors that is inspired by art and luxury to inspire the very best in you. Fall in love with yo...
[Know more](#)





Date: 26th February, 2020

WHOM SO EVER IT MAY CONCERN

Dear Sir,

This is to inform you that M/s. SAGA D&B Trading and Contracting W.L.L, Office No. 8, 7th floor, Al -Rufa Tower, P.O. Box no- 9044, Doha, Qatar is authorized to promote and supply CERA Bathroom products (Sanitaryware, C.P.Bath fittings, Kitchen Sinks, Mirrors etc) and wall & floor tiles to any projects in Qatar for the use of products in Qatar market.

Thanking you,

Yours Sincerely,

For CERA Sanitaryware Limited

Authorised Signatory
Dilip Thakker
Sr. General Manager - Exports

Cera Sanitaryware Limited

Corporate Office: 7th & 8th Floors, B Wing, Privilon, Ambli BRTS Road, Iskcon Crossroads, Ahmedabad 380059, India
Tel: +91 79 49112222 Email: marketing@cera-india.com Web: www.cera-india.com

Registered Office & Works: 9, GIDC Industrial Estate, Kadi 382715, District Mehsana, North Gujarat

CIN: L26910GJ1998PLC034400

SAVING WATER IS NOW IN YOUR HANDS. LITERALLY.

Introducing the stylish CERA Compass
Twin Flush Cistern at an unbelievable price.

- Contemporary modern design
- Made of High-quality PP ensures durability
- Stipulated water flow rate for efficient flushing
- Mechanical inlet valve functions even at low water pressure



43,070L WATER SAVED
litres*
per household per annum

 **Water is precious.**
CERA helps you save it.

*By using the CERA Compass, a family of four people can save up to 118 L of water per day, thus annually, (118x365) a family can save up to 43,070 L.

COMPASS
Twin Flush Plastic Cistern
Cat. No. B1020106

Presenting an innovation that's worth its weight in water.

CERA Core— India's first water-saving urinals.

These 3-in-1 urinals are designed with built-in basins and sensor taps that use the water used to wash hands to flush the urinal as well. The sensor taps ensure zero contact, and hence are more hygienic. With water scarcity at its worst, it's time for us to come together and save the most precious resource on Earth—water.




CORE
330 x 310 x 540 mm
Flat back urinal with integrated
wash basin and sensor tap
Cat. No. S4025101

Health Faucets



Easy Clean

Easy Clean
A simple scrub with fingers remove any clogging of jets to ensure un-interrupted water flow.



Flow Lock

Flow Lock*
Known for revolutionary ideas, Cera has launched a unique locking system in their health faucets using which helps in maintaining the desired flow of water.



Warranty*

1 year warranty on health faucet



Aesthetic Design

Available in round and square designs with the universally-compatible 1/2" thread.

Superior quality materials and production processes give CERA health faucets a mirror finish, enhancing the decor of bathrooms.



Focused Cleaning

The water jets are engineered to ensure ease of operation and focused cleaning



No Foul Smell

Superior grade inner tubes which ensure that they don't affect the quality of water flowing through ensuring no bad smell.



Leakage Free

Air testing done at 6 Kg pressure to ensure no chances of leakage



Clog Free

Specially designed dome filter to ensure no accumulation of unwanted particles and results in better performance of the health faucet by making it clog free.



F8030104AB
Health faucet ABS body with 1 metre PVC Silver foil connection pipe



F8030105AB
Health Faucet ABS body with 1 meter SS braided connection pipe



F8030106AB
Health Faucet ABS body with 1 meter SS braided connection pipe



F8030107AB
Health Faucet ABS body with 1 meter SS braided connection pipe



F8030108AB
Health Faucet ABS body with 1 meter SS braided connection pipe



F8030109AB
Health Faucet ABS body with 1 meter SS braided connection pipe





CIRROCCO

680 x 360 x 700 mm
Cat. No. S1013125 S Trap 200 mm



CRUST

625 x 360 x 700 mm
Cat. No. S1013126 S Trap 220 mm



CRUISER

710 x 390 x 790 mm
Cat. No. S1013137 S Trap 300 mm
DUROPLAST SEAT COVER



CHISEL

675 x 365 x 710 mm
Cat. No. S1013128 S Trap 285 mm
Cat. No. S1013129 S Trap 220 mm



CURATOR

645 x 350 x 730 mm
Cat. No. S1013132 S Trap 250 mm



CARR

700 x 400 x 775 mm
Cat. No. S1013140 S Trap 300 mm
DUROPLAST SEAT COVER



CAM

690 x 390 x 720 mm
Cat. No. S1013141 S Trap 250 mm
DUROPLAST SEAT COVER



CAT

650 x 360 x 745 mm
Cat. No. S1013142 S Trap 300 mm
DUROPLAST SEAT COVER



CADMUS


705 x 385 x 705 mm
Cat. No. S1013143 S Trap 300 mm
DUROPLAST SEAT COVER

CERA

CAFÉ DUO



CAFÉ SILK



Expressing individual taste



Table top colour wash basins - CAFÉ DUO



CAFÉ DUO YELLOW
600 x 400 mm
Cat. No. S2021103YL



CAFÉ DUO ORANGE
600 x 400 mm
Cat. No. S2021103OR



CAFÉ DUO RED
600 x 400 mm
Cat. No. S2021103RD



CAFÉ DUO BLUE
600 x 400 mm
Cat. No. S2021103BL

Table top colour wash basins - CAFÉ SILK



CAFÉ SILK CAPPUCCINO
600 x 400 mm
Cat. No. S2022103CC



CAFÉ SILK CARAMEL
600 x 400 mm
Cat. No. S2022103CL



CAFÉ SILK YELLOW
600 x 400 mm
Cat. No. S2022103YL



CAFÉ SILK ORANGE
600 x 400 mm
Cat. No. S2022103OR



CAFÉ SILK RED
600 x 400 mm
Cat. No. S2022103RD



CAFÉ SILK GREY
600 x 400 mm
Cat. No. S2022103GY



CAFÉ SILK BLACK
600 x 400 mm
Cat. No. S2022103BK



CAFÉ SILK WHITE
600 x 400 mm
Cat. No. S2022103WT



Counter wash basins

CERA



CLAIR

520 x 450 mm
Cat. No. S2030101



OVAL

Cat. No. S2030102 450 x 350 mm
Cat. No. S2030103 560 x 400 mm
Cat. No. S2030104 560 x 470 mm



CAMRY

550 x 405 mm
Cat. No. S2030105



CAMRY MINI

490 x 380 mm
Cat. No. S2030106



CIRCLE

380 mm Dia
Cat. No. S2030113



CONCORD

550 x 425 mm
Cat. No. S2030114



CIRCULAR

470 mm Dia
Cat. No. S2030115



CARMEL

560 x 470 mm
Cat. No. S2030118



CELENE

1000 x 465 mm
with built-in counter
Cat. No. S2030119



CHESTER

605 x 460 mm
with built-in counter
Cat. No. S2030120



COYOTA

750 x 460 mm
with built-in counter
Cat. No. S2030123



CUSHMAN

1220 x 485 mm
Cat. No. S2030124 with
wash basin with two bowls



CLIFF

550 x 460 mm
Cat. No. S2030125



CELFO

595 x 405 mm
Cat. No. S2030127



CRESS

905 x 465 mm
Cat. No. S2030129



COMET

570 x 450 mm
Cat. No. S2030136



CABELLA

520 mm dia
Cat. No. S2030138

Wall hung wash basins with half pedestal





COUNSEL

510 x 400 mm
Cat. No. S2040101 Wash basin
Cat. No. S2090102 Half Pedestal

Cat. No. S2090101 Full Pedestal*



COUNSEL

510 x 400 mm
Cat. No. S2040101 Wash basin
Cat. No. S2090103 Half Pedestal

Cat. No. S2090101 Full Pedestal*



CORNET

550 x 400 mm
Cat. No. S2040103 Wash basin*
Cat. No. S2090102 Half Pedestal

Cat. No. S2090101 Full Pedestal*



CORNET

550 x 400 mm
Cat. No. S2040103 Wash basin*
Cat. No. S2090103 Half Pedestal

Cat. No. S2090101 Full Pedestal*



CORNET

630 x 450 mm
Cat. No. S2040104 Wash basin*
Cat. No. S2090102 Half Pedestal

Cat. No. S2090101 Full Pedestal*



CORNET

630 x 450 mm
Cat. No. S2040104 Wash basin*
Cat. No. S2090103 Half Pedestal

Cat. No. S2090101 Full Pedestal*



CLAIR

550 x 400 mm
Cat. No. S2040105 Wash basin*
Cat. No. S2090103 Half Pedestal

Cat. No. S2090101 Full Pedestal*



CLAIR

550 x 400 mm
Cat. No. S2040105 Wash basin*
Cat. No. S2090103 Half Pedestal

Cat. No. S2090101 Full Pedestal*



COGNAC

560 x 430 mm
Cat. No. S2040108 Wash basin
Cat. No. S2090102 Half Pedestal

Cat. No. S2090101 Full Pedestal*



COGNAC

560 x 430 mm
Cat. No. S2040108 Wash basin
Cat. No. S2090103 Half Pedestal

Cat. No. S2090101 Full Pedestal*



CALIBRE

580 x 430 mm
Cat. No. S2040109 Wash basin
Cat. No. S2090102 Half Pedestal

Cat. No. S2090101 Full Pedestal*



CALIBRE

580 x 430 mm
Cat. No. S2040109 Wash basin
Cat. No. S2090103 Half Pedestal

Cat. No. S2090101 Full Pedestal*

CERA

Faucets



Ruby
single lever /
quarter turn range



Ruby single lever / quarter turn range

CERA



F1005101
Pillar cock with aerator



F1005151
Bib cock with wall flange and aerator



F1005152
Bib cock long nose with wall flange and aerator



F1005161
2-Way bib cock with wall flange and aerator



F1005201
Angle cock with wall flange



F1005251
Sink cock (wall mounted) with 150 mm (6") long swivel spout and wall flange



Wall mixer with bend pipe for overhead shower with built-in non return valve
F1005402

Wall mixer with bend pipe for overhead shower
F1005401



F1005424
Single lever wall mixer with 90° swivel spout and provision for telephonic shower arrangement



F1005451
Single lever basin mixer with 450 mm braided connection pipe and provision for pop-up



F1005452
Single lever basin mixer with 305 mm (12") extended body and 450 mm braided connection pipe (without pop-up)



F1005471
Wall mounted single lever basin mixer with wall flange (concealed single body mixer)



F1005501
Sink mixer (wall mounted) with 150 mm (6") long swivel spout and wall flange

Crayon
quarter turn / single lever range



Crayon quarter turn / single lever range

CERA



F2008101
Pillar cock with aerator



F2008102
Pillar cock with 310 mm (12")
long extended body with aerator



F2008103
Pillar cock high neck with aerator



Pillar cock with swan neck
spout (left/right) and aerator
F2008104 (Left)
F2008105 (Right)



F2008151
Bib cock with
wall flange and aerator



F2008152
Bib cock long nose with
wall flange and aerator



F2008163
2-Way big cock with
single handle and wall flange



F2008201
Angle cock with wall flange



F2008211
2-Way angle cock
with wall flange



F2008251
Sink cock (wall mounted) with
170 mm (6.5") long swivel spout
and wall flange



Concealed part for concealed
stop cock suitable for 15 and
20 mm pipeline with inner head
(without exposed part)
F4050102 15 mm
F4050103 15 mm
F4050502 20 mm
F4050503 20 mm



Exposed part of stop cock consisting sleeve, lever
and flange

Exposed part	F2008351
Concealed part-15 mm	F4050102

Light weight concealed part-15 mm	F4050103
-----------------------------------	----------

Exposed part	F2008351
Concealed part-20 mm	F4050502

Light weight concealed part-20 mm	F4050503
-----------------------------------	----------

CERA

Kitchen Sinks



HANDMADE KITCHEN SINKS

CERA

HANDMADE DOUBLE BOWL SINKS WITH DRAIN BOARD



SELENA

Handmade double bowl sink with drain board
304 grade stainless steel

Size: 1000 x 500 mm (40" x 20")
Bowl Size: 380 x 450 mm (15" x 18") and
250 x 450 mm (10" x 18")
Depth: 200 mm (8")
Installation: Undermount
Cat. No. B4714501 - Satin finish



JAZZ

Handmade double bowl sink with drain board
304 grade stainless steel

Size: 1210 x 510 mm (48" x 20")
Bowl Size: 480 x 460 mm (19" x 18") and
300 x 460 mm (12" x 18")
Depth: 230 mm (9")
Installation: Undermount
Cat. No. B4714502 - Satin finish

HANDMADE DOUBLE BOWL SINKS



ROSA

Handmade double bowl sink
304 grade stainless steel
Size: 925 x 450 mm (37" x 18")
Bowl Size: 425 x 400 mm (17" x 16") and
425 x 400 mm (17" x 16")
Depth: 200 mm (8")
Installation: Undermount
Cat. No. B4713501 - Satin finish



TITO

Handmade double bowl sink
304 grade stainless steel
Size: 1125 x 500 mm (45" x 20")
Bowl Size: 525 x 450 mm (21" x 18") and
525 x 450 mm (21" x 18")
Depth: 250 mm (10")
Installation: Undermount
Cat. No. B4713502 - Satin finish

HANDMADE SINGLE BOWL SINKS WITH DRAIN BOARD



LEAH

Handmade single bowl sink with drain board
304 grade stainless steel
Size: 860 x 450 mm (34" x 18")
Bowl Size: 450 x 400 mm (18" x 16")
Depth: 200 mm (8")
Installation: Undermount
Cat. No. B4712501 - Satin finish



NOVA

Handmade single bowl sink with drain board
304 grade stainless steel
Size: 1000 x 500 mm (40" x 20")
Bowl Size: 500 x 450 mm (20" x 18")
Depth: 230 mm (9")
Installation: Undermount
Cat. No. B4712502 - Satin finish

SINGLE BOWL SINKS WITH DRAIN BOARD



JUMBO

Single bowl sink manufactured from 1.0 mm thick 304 grade stainless steel

Size: 1155 x 515 mm (45.5" x 20.5")

Installation: Top mount

Depth: 205 mm (8")

Cat. No. B4512204 - Gloss finish

Cat. No. B4512204 - Matt finish

Depth: 250 mm (10")

Cat. No. B4512205 - Gloss finish

Cat. No. B4512205 - Matt finish



DIANA

Single bowl sink manufactured from 1.0 mm thick 304 grade stainless steel

Size: 940 x 455 mm (37" x 18")

Depth: 203 mm (8")

Installation: Top mount

Cat. No. B4512101 - Gloss finish

Cat. No. B4512101 - Matt finish



DAKOTA

Single bowl sink manufactured from 1.0 mm thick 304 grade stainless steel

Size: 810 x 455 mm (32" x 18")

Depth: 203 mm (8")

Installation: Top mount

Cat. No. B4512102 - Gloss finish

Cat. No. B4512102 - Matt finish

Cat. No. B4512102 - Matt finish

SINGLE BOWL SINKS



DALLAS

Single bowl sink manufactured from 1.0 mm thick 304 grade stainless steel

Size: 610 x 455 mm (24" x 18")

Depth: 255 mm (10")

Installation: Top mount

Cat. No. B4511101 - Gloss finish

Cat. No. B4511101 - Matt finish



DARBY

Single bowl sink manufactured from 1.0 mm thick 304 grade stainless steel

Size: 610 x 455 mm (24" x 18")

Depth: 203 mm (8")

Installation: Top mount

Cat. No. B4511102 - Gloss finish

Cat. No. B4511102 - Matt finish



DOMINO

Single bowl sink manufactured from 1.0 mm thick 304 grade stainless steel

Size: 535 x 455 mm (21" x 18")

Depth: 203 mm (8")

Installation: Top mount

Cat. No. B4511103 - Gloss finish

Cat. No. B4511103 - Matt finish



DORA

Single bowl sink manufactured from 1.0 mm thick 304 grade stainless steel

Size: 510 x 430 mm (20" x 17")

Depth: 203 mm (8")

Installation: Top mount

Cat. No. B4511104 - Gloss finish

Cat. No. B4511104 - Matt finish



DREW

Single bowl sink manufactured from 1.0 mm thick 304 grade stainless steel

Size: 455 x 405 mm (18" x 16")

Depth: 203 mm (8")

Installation: Top mount

Cat. No. B4511105 - Gloss finish

Cat. No. B4511105 - Matt finish



QUEEN

Single bowl sink manufactured from 1.0 mm thick 304 grade stainless steel

Size: 610 x 460 mm (24" x 18")

Installation: Top mount

Depth: 205 mm (8")

Cat. No. B4511201 - Gloss finish

Cat. No. B4511201 - Matt finish

Depth: 250 mm (10")

Cat. No. B4511202 - Gloss finish

Cat. No. B4511202 - Matt finish

CERA'S PRESENCE IN THE WORLD WITH LOCAL PARTNERS		
SR. NO.	CONTINENT	COUNTRY
1	AFRICA	GHANA
2	AFRICA	KENYA
3	AFRICA	MAURITIUS
4	AFRICA	MOZAMBIQUE
5	AFRICA	NIGERIA
6	AFRICA	RWANDA
7	AFRICA	SEYCHELLES
8	AFRICA	SOUTH AFRICA
9	AFRICA	TANZANIA
10	AFRICA	TUNISIA
11	AFRICA	UGANDA
12	AMERICA	BOLIVIA
13	AMERICA	TRINIDAD & TOBAGO
14	AMERICA	USA
15	AMERICA	WEST INDIES
16	ASIA	BAHRAIN
17	ASIA	BANGLADESH
18	ASIA	BHUTAN
19	ASIA	BRUNEI
20	ASIA	ISRAEL
21	ASIA	KUWAIT
22	ASIA	MALDIVES
23	ASIA	NEPAL
24	ASIA	OMAN
25	ASIA	QATAR
26	ASIA	SAUDI ARABIA
27	ASIA	SRI LANKA
28	ASIA	TURKEY
29	ASIA	UAE
30	ASIA	VIETNAM
31	ASIA	YEMEN
32	EUROPE	BULGARIA
33	EUROPE	MALTA
34	EUROPE	ROMANIA
35	OCEANIA	NEW ZEALAND



BST Learning Center

Training Guides





7493 trans-Canada Highway, suite 100 - 101 A,
Saint Laurent, QC, Canada H4T 1T3
Tel: +1-514-447-8282
Fax: +1-514-317-2216
bst@bstsecurity.com
www.bstsecurity.com

BSTsecurity Authorization Letter

Date: January 07th 2020

Subject: Authorized Reseller Letter

This is to confirm that Saga D&B Trading And Contracting W.L.L located at Al Rufa Tower, Office no-8, 7th floor, P.O. Box no-9044, Doha - Qatar, is an Authorized Reseller for BSTsecurity Products which classifies as Security Systems Solutions for one year from the date mentioned above. Saga D&B Trading And Contracting W.L.L is authorized to distribute, pursue sales, install and maintain BSTsecurity Products.

Best regards,

Hicham Wakim

OP Director 

January 07th , 2020



Structured for Success:

BST is structured to work directly with integrators and their clients, utilizing its network of trained and certified integrating partners worldwide. BST can react quickly and efficiently to any change requests or issues that arise pre-sale or post project installation. The BST support team will work closely with the sales team during the project installation to make sure the client is completely satisfied with the experience and customer service.

With years of experience in solving complex security and networking issues BST has developed many strong long term alliances with integration leaders around the world.

BST is also structured to effectively work with Large Integrators that offer managed services. The needs of the service provider/integrator are structured differently since the integrator needs full control over the day to day operations of the customer's locations in order to provide consistent service and monitoring. Thus, all product testing and certifications are performed by Major Local North American labs like NTS Labs and CRIO.



BST-9201DCIR

10MP Full HD Dome Camera



BST-2MH51-33X

10MP 5x Optical PTZ



BST-BT9104IR30-M

4MP 10x Optical Bullet Camera



BST-2MBS-IR20X

2MP Thermal 40x120 IR Bullet Camera



BST-DH908IR-M

4MP 120° Network IR Dome Camera



BST-2MBS-IR20X

2MP Thermal 40x120 IR Bullet Camera



BST-D12P360

12MP 360° Panoramic 120deg Network

Our Other Products list for trading

a) Light fixtures-Hoffmeister- Germany, Schreder – Belgium, Orbik- UK

- Indoor & Outdoor Light Fixtures
- Explosion Proof Light Fixtures

b) UPS (sales and services)- Riello- Italy.

c) Precision & CRACS units – Airdale-UK.

d) Instrumentation & Control Cable -Selsor-UK and Ramcro-UK.

e) Fire alarm Cable - Belden wires & Cable - Ramcro – UK.

f) Structure Cable- Selsor-UK.

g) Perimeter protection system - Agilefence – Singapore.

h) Central Battery System (Sales and Services).

i) Sanitary Fittings and Accessories – CERA & ROCA

j) Smart Toilet, Electric seat - ARCA- Beauflet

k) Floor, Wall Tiles, Marbles - CERA & ROCA

l) Other products (Under Discussion)

FEATURES

- Gentle Aerated
- Warm water cleaning
- Dual Action Spray with oscillating and pulsating feature
- Adjustable water temperature and volume
- Automatic air deodorizer
- Soft close seat and lid
- Heated Seat with Temperature Control
- Warm air drying function
- Sensor and Safety Protection

MODELS

- YM-01

COLORS/FINISHES

- Standard - Gold

PRODUCT SPECIFICATION

Seat shall be model #YM-01

Seat shall have gentle aerated, warm water, dual action spray with cycling movement and massage feature.

Seat shall have adjustable water temperature and volume.


Seat shall have adjustable warm air drying function.

Seat shall have automatic air deodorizer. Seat shall include control panel. Seat shall be solid plastic with closed front seat and cover. Seat shall include power cord, and water supply hoses.



SPECIFICATIONS

• Power Rating:	220VAC, 50Hz, 1030/1270W	• Drying Feature:	Air temperature:
• Power Cord:	Maximum length: 3.94ft/120 cm, 3 prong grounded plug		45°C approximately
• Water Feature:	Adjustable Water Flow Rate : Front washing- 500 - 850 ml/min Rear washing - 500 - 850 ml/min	• Dryer Air Capacity:	0.25m ³ /min
• Washing Spray Temp:	Minimum: 86°F/30°C Maximum: 104°F/40°C	• Seat Warming Feature:	Surface Temperature: Minimum: 86°F/30°C Maximum: 104°F/40°C
• Safety Device:	Thermal Fuse	• Water Supply Pressure:	Minimum: 0.05MPa Maximum: 0.75MPa
		• Ambient Temperature:	Range: 32°F/0°C to 104°F/40°C
		• Warranty:	3 Years Distributor Warranty
		• Shipping Weight:	6.4 Kg
		• Shipping Dimensions:	540 x 230 x 590 mm




YM-01

INSTALLATION NOTES

- BeauLet Y Series may not fit certain toilet bowl designs.
- Make sure to confirm the mounting dimensions before purchasing.
- Warning: Rated power consumption 1030 W

	Dimension	Size (mm)
A	from mounting hole to front-end-edge of toilet seat	445≤ 480
B	between 2 mounting holes	130~210



FEATURES

- Gentle Aerated Integrated Model
- Warm water cleaning
- Dual Action Spray with oscillating and pulsating feature
- Adjustable water temperature and volume
- Automatic air deodorizer
- Soft close seat and lid
- Heated Seat with Temperature Control
- Adjustable warm air drying function
- Sensor and Safety Protection
- Integrated blue LED light
- Replaceable nozzles
- Automatic opening seat cover with sensor (KL-01)
- Siphonic flushing water closet with automatic flushing option

MODELS

- KL-01
- KL-02

COLORS/FINISHES

- Standard - White

PRODUCT SPECIFICATION

Product shall be model #KL-01 or #KL-02

Product shall have gentle aerated, warm water, dual action spray with cycling movement and massage feature.

Seat shall have adjustable water temperature and volume.


Seat shall have adjustable warm air drying function

Seat shall have automatic air deodorizer. Product shall have siphonic flush feature. Seat shall be solid plastic with closed front seat and cover. Seat shall have integrated LED light with blue luminescence. Product shall include power cord, and remote controller.




SPECIFICATIONS

• Power Rating:	220VAC, 50Hz, 1680/1280W	• Drying Feature:	Air temperature:
• Power Cord:	Maximum length: 4.92ft/150 cm, 3 prong grounded plug		Min. 36°C, Max. 53°C approximately
• Water Feature:	Adjustable Water Flow Rate : Front washing- 500 - 900 ml/min Rear washing - 500 - 900 ml/min	• Dryer Air Capacity:	0.25m ³ /min
• Washing Spray Temp:	Minimum: 91.4°F/33°C Maximum: 102.2°F/39°C	• Seat Warming Feature:	Surface Temperature: Minimum: 86°F/30°C Maximum: 104°F/40°C
• Safety Device:	Thermal Fuse	• Water Supply Pressure:	Minimum: 0.10MPa Maximum: 0.75MPa
		• Ambient Temperature:	Range: 32°F/0°C to 104°F/40°C
		• Warranty:	3 Years Distributor Warranty
		• Shipping Weight:	45 Kg (KL-01), 42 Kg (KL-02)
		• Shipping Dimensions:	KL-01 : 770 x 480 x 610 mm KL-02 : 740 x 485 x 570 mm



KL-01



KL-02

INSTALLATION NOTES

- BeauLet KL Series may not fit certain plumbing structures or outlines.
- Make sure to confirm the mounting dimensions before purchasing.
- Warning: Rated power consumption 1520 W

Dimensions

Product	KL Series
KL-01	685 x 420 x 513 mm
KL-02	650 x 395 x 514 mm

STANDARD

Slim Design



YM-01-EN

110V is available as required
Dimension : 517*440*114mm
Water Pressure : 0.05~0.75MPa

optional remote for only 15\$



only **114mm** with full functions

Free customization to silver



IPHONE 4: H 115mm
※ IPHONE 6: H 138mm



ADVANCED

Instant Heating



KM-01-EN

Dimension : 508*381*151mm
Water Pressure : 0.1~0.75MPa



KM-03-EN

Dimension : 508*381*151mm
Water Pressure : 0.1~0.75MPa



LUXURY

Intergrated Design



AUTO
OPEN/CLOSE

KL-01-EN

Dimension : 685*420*513mm
Water Pressure : 0.1~0.75MPa
Flush System: Tornado Flush



KL-02-EN

Dimension : 650*395*514mm
Water Pressure : 0.1~0.75MPa
Flush System: Tornado Flush



AR-100-L-EN

Dimension : 511*400*161mm
Water Pressure : 0.1~0.75MPa



COMING
SOON

FUNCTIONS



Rear
Cleansing



Front
Cleansing



Massage
cleansing



Nozzle Position
adjustment



Water Pressure
Adjustment



Water TEMP
Adjustment



Dryer



Dryer TEMP
Adjustment



Seat TEMP
Adjustment



Seat Heating



One-touch Mount-
ing/ Dismounting



Deodorizing
Function




Short Circuit
Protection



Soft Closing



Power Saving



LIGHTING


ISSUE 19

SETTING STANDARDS

Over their 37 year history, an absolute fundamental of Orbik's business strategy has been the high standards of their products, services and manufacturing processes. This is evident by the accreditations and certification that Orbik have held for many years.

Orbik manufacture within quality system ISO 9001:2015, Orbik are represented on the technical committees of the British Standards Institute (BSI), the Industry Committee for Emergency Lighting (ICEL) and the Lighting Industry Association (LIA).

Orbik customers can rest assured that they are purchasing products of the highest quality.



THE ART OF CABLE

FIRE & SECURITY



RAMCRO WAS FOUNDED IN 1979, AS FAMILY COMPANY PRODUCING SPECIAL CABLES. FAMILY CROCI OWNS 100% OF RAMCRO S.P.A.. IN OVER 35 YEARS RAMCRO EXPANDED SUCCESSFULLY ITS PRESENCES IN DIFFERENT COUNTRIES AND IN FEW DIFFERENT BUT IMPORTANT SEGMENTS: OIL & GAS, FIRE, SIGNAL & CONTROL, BMS AND OPTICAL CABLES.

RAMCRO PRODUCTION CAPACITY IS 4.000 KM/MONTH AND 50.000 KM/YEAR. PRODUCTION DPT IS 18.000 SQM, OF WHICH 3.000 SQM ON STOCK, ALLOWING OUTSTANDINGS VERY HIGH FLEXIBILITY IN DELIVERY, WITH ALSO 1.300 SQM OF OFFICES AND 750 SQM FOR LABORATORY.

RAMCRO LABORATORY PROVIDES ANY CERTIFICATES OF TESTS RUN FOLLOWING MAJOR INTERNATIONAL SPECIFICATIONS AND IT IS READY TO BE CERTIFIED ISO 17025. IT IS ALSO RECOGNIZED BY INTERNATIONAL BODY AS "THIRD PART LABORATORY".

RAMCRO SOLVES ANY KIND OF TECHNICAL ISSUE ON THE CABLES AREA, ASSURING THE CLIENT'S SATISFACTION THANKS TO HIGH QUALITY AND PERSONALIZED SOLUTIONS, IMPROVING CLIENT'S EFFICIENCY AND OPTIMIZING ITS PROCESSES. RAMCRO OFFERS EXTREME FLEXIBLE SOLUTIONS AND A COMPLETE RANGE OF SERVICES, EVEN TAILOR MADE, BASED ON OUTSTANDING WORLDWIDE EXPERIENCE.

RAMCRO SOLUTIONS ARE SUPERVISED BY:





THE INTERNATIONAL CERTIFICATION NETWORK

CERTIFICATE

CISQ /RINA as an IQNet Partner hereby states that the organization:

RAMCRO S.P.A.

VIA MARZORATI, 15 20014 Nerviano (MI) ITALIA

for the following scope:

DESIGN AND MANUFACTURE OF ELECTRIC CABLES WITH METAL CONDUCTORS FOR ALL APPLICATIONS SHEATHED BY EXTRUDED THERMOPLASTIC MATERIALS. TRADE OF FIBRE OPTIC CABLES.

has implemented and maintains a

Environmental Management System

which fulfills the requirements of the following standard:

ISO 14001:2015

*for the validity date, please refer to the original certificate * issued by CISQ/RINA*

Issued on: 2017-12-22

First Issued on: 2014-12-23

Registration Number: IT-96293



Alex Stoichitoiu
President of IQNET



Ing. Claudio Provetti
President of CISQ

IQNet Partners:**

AENOR Spain AFNOR Certification France APCER Portugal CCC Cyprus CISQ Italy
CQC China CQM China CQS Czech Republic Cro Cert Croatia DQS Holding GmbH Germany FCAV Brazil
FONDONORMA Venezuela ICONTEC Colombia Inspecta Certification Finland INTECO Costa Rica
IRAM Argentina JQA Japan KFQ Korea MIRTEC Greece MSZT Hungary Nemko AS Norway NSAI Ireland PCBC Poland
Quality Austria Austria RR Russia SIGE México SII Israel SIQ Slovenia SIRIM QAS International Malaysia
SQS Switzerland SRAC Romania TEST St Petersburg Russia TSE Turkey Vinçotte Belgium YUQS Serbia
IQNet is represented in the USA by: AFNOR Certification, CISQ, DQS Holding GmbH and NSAI Inc.

* This attestation is directly linked to the IQNet Partner's original certificate and shall not be used as a stand-alone document

** The list of IQNet partners is valid at the time of issue of this certificate. Updated information is available under www.iqnet-certification.com

Certificate of Management System Registration

Certificate Number: 568-1

Issue: 17

RAMCRO S.p.A

having complied with the requirements of:

ISO 9001:2015

Quality Management Systems - Requirements

are certified by BRE Global Ltd. and are authorised to use the LPCB Certification Mark on stationery and publications related to the products and/or services listed in the attached Appendix:

RAMCRO S.p.A.

Via Marzorati
15-20014 Nerviano
Milan
Italy

Scope:

Design, manufacture and supply of electric cables including cables used for installations that require safety in the event of fire and fibre optic cables.

This certificate and appendix is maintained and held in force through regular surveillance activities.



Phil Clare

17 May 2018

16 May 2021

29 July 2009

Signed for BRE Global Ltd.

BGM Assessment Services

Date of this Issue

Expiry Date

Date of First Issue



This certificate remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



bre



IQNet, the association of the world's first class certification bodies, is the largest provider of management System Certification in the world. IQNet is composed of more than 30 bodies and counts over 150 subsidiaries all over the globe.

CERTIFICATO N. EMS-5716/AN
CERTIFICATE No.

SI CERTIFICA CHE IL SISTEMA DI GESTIONE AMBIENTALE DI
IT IS HEREBY CERTIFIED THAT THE ENVIRONMENTAL MANAGEMENT SYSTEM OF

RAMCRO S.P.A.

VIA MARZORATI, 15 20014 Nerviano (MI) ITALIA

NELLE SEGUENTI UNITÀ OPERATIVE / *IN THE FOLLOWING OPERATIONAL UNITS*

VIA MARZORATI, 15 20014 Nerviano (MI) ITALIA
TRADING B3 ITALY VIA MARZORATI, 15 20014 NERVIANO (MI) ITALIA

È CONFORME ALLA NORMA / *IS IN COMPLIANCE WITH THE STANDARD*
ISO 14001:2015

IAF:19

PER I SEGUENTI CAMPI DI ATTIVITÀ / *FOR THE FOLLOWING FIELD(S) OF ACTIVITIES*

PROGETTAZIONE E PRODUZIONE DI CAVI ELETTRICI CON CONDUTTORI METALLICI PER TUTTE LE
APPLICAZIONI RIVESTITI TRAMITE ESTRUSIONE DI MATERIE TERMOPLASTICHE.
COMMERCIALIZZAZIONE DI CAVI IN FIBRA OTTICA.

*DESIGN AND MANUFACTURE OF ELECTRIC CABLES WITH METAL CONDUCTORS FOR ALL APPLICATIONS
SHEATHED BY EXTRUDED THERMOPLASTIC MATERIALS. TRADE OF FIBRE OPTIC CABLES.*

L'uso e la validità del presente certificato sono soggetti al rispetto del documento RINA: Regolamento per la Certificazione di Sistemi di Gestione Ambientale

The use and the validity of this certificate are subject to compliance with the RINA document: Rules for the Certification of Environmental Management Systems

La validità del presente certificato è subordinata a sorveglianza periodica annuale / semestrale ed al riesame completo del sistema di gestione con periodicità triennale

The validity of this certificate is dependent on an annual / six monthly audit and on a complete review, every three years, of the management system

Prima emissione <i>First Issue</i>	23.12.2014	Data decisione di rinnovo <i>Renewal decision date</i>	22.12.2017
Data scadenza <i>Expiry Date</i>	22.12.2020	Data revisione <i>Revision date</i>	22.12.2017

Paolo Teramo
District Manager, North West Italy

RINA Services S.p.A.
Via Corsica 12 - 16128 Genova Italy



CISQ è la Federazione Italiana di Organismi di
Certificazione dei sistemi di gestione aziendale
*CISQ is the Italian Federation of
management system Certification Bodies*



Product Guide



EU F-Gas Regulations

This product range contains fluorinated greenhouse gases. In line with EU F-Gas Regulations, HFC designation, weight and equivalent tonnes of CO₂ are displayed on product labels, within technical manuals and inside our product brochure.

Precision Air Conditioning

5kW 233kW

SmartCool™ 11 – 233kW



PAGE 04



SmartCool™ Inverter Compressor 5 – 83kW



PAGE 04



EasiCool™ 6 – 64kW



PAGE 05



Ecotel™ 5 – 15kW



PAGE 05



Ecotel™ Free Cool 5 – 15kW



PAGE 05



IT Cooling

2kW 67kW

OnRak™ 3 – 35kW



PAGE 06



InRak™ 10 – 67kW



PAGE 06



InRak™ 300mm 8 – 36kW

Condensers & Condensing Units

3kW 450kW

BluCube™ 10 – 48kW



PAGE 13



Air Cooled Condensers (CR) 12 – 195kW (R410A)



PAGE 13



Air Cooled Condensers (C/CS) 11 – 105kW (R407C)



PAGE 13



Dry Coolers (DR) 10 – 100kW



PAGE 13



Condensing Units (CU1 – CU54) 3 – 13kW THR



PAGE 14



Condensing Units (CUS5 – 12) 14 – 35kW THR



PAGE 14



Condensing Units (CUS15 – 30D) 40 – 80kW THR



PAGE 14



Ultima™ Compact Condensing Unit 30 – 450kW THR



PAGE 14



M&S



Distributed by:



www.airedale.com

Airedale International Air Conditioning Limited | Leeds Road, Rawdon, Leeds LS19 6JY, England
Tel: +44 (0) 113 239 1000 Fax: +44 (0) 113 250 7219 E-Mail: enquiries@airedale.com

All specifications are subject to change without prior notice | ENG-PRODG-05-18



Group

Technology and R&D

INNOVATION: THE PRIMARY OBJECTIVE OF RESEARCH AND DEVELOPMENT CENTRES.

The RIELLO UPS Research Centre, opened in 2003 at the Legnago site, is divided into three distinct areas to support an intensive development program:

- Design area - where new UPS products are initiated and designed;
- Experimental area - where laboratories with sophisticated test and measuring equipment are used to test prototypes and analyse results;
- Test area - where accelerated life tests are conducted inside temperature controlled environments with actual "real-world" loads.



MANAGEMENT SYSTEM CERTIFICATE

Certificato no./Certificate No.:
CERT-04674-99-AQ-VEN-SINCERT

Data prima emissione/Initial date:
19 luglio 1999

Validità:/Valid:
28 marzo 2018 - 28 marzo 2021

Si certifica che il sistema di gestione di/This is to certify that the management system of

RPS S.p.A.

Sede Legale : Viale Europa, 7 - 37045 Legnago (VR) - Italy

È conforme ai requisiti della norma per il Sistema di Gestione Qualità/
has been found to conform to the Quality Management System standard:

UNI EN ISO 9001:2015 (ISO 9001:2015)

Questa certificazione è valida
per il seguente campo applicativo:

Progettazione, produzione, assemblaggio e collaudo, vendita ed assistenza post vendita di prodotti per la generazione, il controllo, la conversione, il mantenimento dell'energia elettrica (gruppi di continuità, inverter solari e relativi accessori)

(Settore EA: 19)

This certificate is valid
for the following scope:

Design, manufacture, assembly and test, sale and after-sale service of equipment for generation, control, conversion and uninterrupted supply of electric energy (uninterruptible power supplies, solar inverters and relevant accessories)

(EA Sector: 19)

Luogo e Data/Place and date:
Vimercate (MB), 11 marzo 2018




SGQ N° 003 A
SGA N° 003 D
SGE N° 007 M
SCR N° 004 F

EMAS N° 009 P
PRD N° 003 B
PRS N° 094 C
SSI N° 002 G

Membro di MLA EA per gli schemi di accreditamento SGQ, SGA, PRD, PRS, ISP, GHG, LAB e LAT, di MLA IAF per gli schemi di accreditamento SGQ, SGA, SSI, FSM e PRD e di MRA ILAC per gli schemi di accreditamento LAB, MED, LAT e ISP

Per l'Organismo di Certificazione/
For the Certification Body

Zeno Beltrami
Management Representative



Reliable Cable Options for Transportation Applications

Cable Solutions that Meet Requirements
for Fire Protection and Life Safety,
National Fire Protection Association
(NFPA) 130 and 502

Essential cable constructions for applications in transportation, rail and roadway tunnel, station and signaling control and operation.

Designed to operate and protect your equipment for the life of your infrastructure, Belden's broad cable portfolio is backed by a 10-year warranty.



**Be certain.
Belden.**

Certificate of Product Approval

Certificate Number: 1460a

Issue: 01

BELDEN WIRE & CABLE

Edisonstratt 9
5928 PG Venlo
5900 AA
Postbus 9
The Netherlands

is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Product(s)

Cable Types as listed below:
SAFE-T-LINE
See Certificate Appendix for details

Standard(s) (see Appendix for details)

BS 6387:2013 (Category CWZ)
EN 60754-1:2014
EN 61034-2:2005+A1:2013
EN 50200:2015 Annex E (30 mins)
EN 50200:2015 (Class PH120)
EN 60332-3-24:2009
EN 60332-3-25:2009

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.



Signed for BRE Global Ltd.

Karen Coull

Certification Scheme Manager

08 February 2018

Date of Issue

08 February 2018

Date of First issue



This certificate and appendix remain the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Garston, Watford, WD25 9XX
T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: enquiries@breglobal.com

LPCB® is a registered trademark of the Building Research Establishment Ltd.



bre

Appendix to Certificate No: 1460a BELDEN WIRE & CABLE

Issue: 01

Product name						LPCB Ref. No.
SAFE-T-LINE						1460a/01
Nominal csa of conductor (mm ²)	Core Construction (excluding drain wire and earth)	BS 6387	EN 60754-1	EN 61034-2	EN 50200 Annex E	EN 50200
0.5 ⁽¹⁾	2, 3 & 4	C,W,Z	<0.5% HCl	>60%	30min ⁽³⁾	Class PH120
0.75 ⁽¹⁾	2, 3 & 4	C,W,Z	<0.5% HCl	>60%	30min ⁽³⁾	Class PH120
1.0 ⁽¹⁾	2, 3 & 4	C,W,Z	<0.5% HCl	>60%	30min ⁽³⁾	Class PH120
1.5 ⁽¹⁾	2, 3 & 4	C,W,Z	<0.5% HCl	>60%	30min ⁽³⁾	Class PH120
2.5 ⁽¹⁾	2, 3 & 4	C,W,Z	<0.5% HCl	>60%	30min ⁽³⁾	Class PH120
4.0 ⁽²⁾	2, 3 & 4	C,W,Z	<0.5% HCl	>60%	30min ⁽³⁾	Class PH120

Uo/U 300/500V

Notes:

1. Solid conductor only.
2. Stranded conductor only.
3. The duration of 30 min when tested in accordance with EN 50200: 2015 Annex E is achieved by 15 min for the fire and mechanical shock phase and a further 15 min for the fire mechanical shock and water phase.
4. Where the cable diameter is greater than 12mm the cable is additionally approved to EN 60332-3-24.
5. Where the cable diameter is equal to or less than 12mm the cable is additionally approved to EN 60332-3-25.

This Certificate is maintained and held in force through regular surveillance activities and subject to the corresponding ISO 9001 Certificate being maintained.

Karen Coull

Signed for BRE Global Ltd.

Karen Coull

Certification Scheme Manager

08 February 2018

Date of Issue

08 February 2018

Date of First issue



This certificate and appendix remain the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Garston, Watford, WD25 9XX
T: +44 (0)333 321 8811 F: +44 (0)1923 664603 E: enquiries@breglobal.com

LPCB® is a registered trademark of the Building Research Establishment Ltd.



bre

AHU, FCU, CRAC UNIT, FILTERS



TOILET CLEANING ACCESSORIES

